

TerraDek®
The Outdoor Lighting Superstore

2019 Buyer's Guide

**Free
Shipping***

TerraDek

AOLP
Association of Outdoor Lighting Professionals

Distributor of the Year



One light changes everything.

Get three lumen choices from one fixture



Quickly switch between three lumen level options with the **12V Integrated LED Accent with Variable Lumen Output (VLO)** – without the need for mechanical adjustment. Kichler VLO technology finally makes it possible – all while eliminating the increased failure risk or long-term reliability concerns often associated with other fixtures.



Backed by Kichler's industry-leading 15-year warranty.

Learn more at www.Kichler.com/VLOaccent

© The L.D. Kichler Co. Kichler® All rights reserved.

KICHLER®

Fixture Categories

Page #



Directional and Spot Lights	2-5
Hardscape Lights	8-9
Flood Lights	10-11
In-Ground Lights	12-13
Underwater Lights	14-15
Area Lights	16-23
Pathway Lights	24-27
Deck Lights	28-31
Step Lights	32-33
Bollard Lights	34
Dock Lights	35
Cable	36
Transformers	37-42
Connectors	43
LED Lamps	44-47
Accessories	48
Non-LED Lamps	49-50

Directional/Spot Lights

Manufacturer Model #	Encore BL27	Unique Nucleus®	Kichler 15384	Featured Product	Kichler 15494
					
Materials	Brass	A360 Alloy Marine Grade	Cast Aluminum	K15384AZT/BKT KICHLER <i>Now Available in Natural & Bronzed Brass Finishes!</i> 5 - Year Warranty ★ Great Low Price	Cast Aluminum
Dimensions	6.0" L x 2.5" D	6.8" L x 3.3" W	2.375" L x 6" D		2.5" D x 10" L
Color of Fixture	Antique Brass	BZ, TT, BK	Black, Bronze		Bronze
Lamp	MR16 50W Max	MR16 35W Max	20/35/50W MR16		20/35/50W MR16
Mounting System	PVC Stake	Gravity Stake	PVC Stake		Junction Box
Misc. Info	25' of 16/2 wire, Convex Lens	15' WL 18/2 Cbl, 1' Aux Lead	Uplight Light		
Mfr. Warranty	Lifetime	10 Years	5 Years		5 Years
Option - 1	LED 3W or 5W Warm or Daylight	Dual Silicone O-ring Seal Flat Clear Tempered Glass	Copper		
Option - 2	Frosted Lens		Centennial Brass		
Option - 3	Linear Spread Lens		15087 Downlight		
Option - 4	Moonlight Blue Lens				
Option - 5					
Option - 6					
Option - 7					
Option - 8					

To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradetek.com

Directional/Spot Lights

Manufacturer Model #	Brilliance Denali	Kichler 16151 LED!	One light changes everything. Get three lumen choices from one fixture	Kichler 16016 VLO LED!	Kichler 16019 VLO LED!
					
Materials	Machined Copper/Brass	Aluminum or Brass		Aluminum or Brass	Aluminum or Brass
Dimensions	8.38" H x 2.62" W	4.5" H x 3.5" L x 3.2" W		4.5" L x 2.0" W x 3.7" H	6" L x 2.7" W x 4.2" H
Color of Fixture	Brass, Blackened Brass, Copper	AZT, BKT, CBR		AZT, BKT, CBR, WHT	AZT, BKT, CBR, WHT
Lamp	MR-16	2W 9-15 V - 200 Lumens 10°, 35°, 60°	  	2W - 5.5W 9-15V 100, 200 or 300 Lumens	5W - 12W, 9-15V 400, 600 or 835 Lumens
Mounting System	ABS Stake	PVC Stake		PVC Stake	PVC Stake
Misc. Info	Made in USA	80 CRI		35° Beam 80 CRI	35° Beam 80 CRI
Mfr. Warranty	Lifetime	10 Years / 40,000 Hours		15 Years / 50,000 Hours	15 Years / 50,000 Hours
Option - 1		4,000V surge protection		Variable Light Output 6,000V surge protection	Variable Light Output 6,000V surge protection
Option - 2		2700K 3000K		2700K 3000K	2700K 3000K
Option - 3		3.5W - 300 Lumens 10°, 35°, 60°		16015 - 15° 16017 - 60°	16018 - 15° 16020 - 60°
Option - 4		7W - 500 Lumens Long Cowl		Long Cowl 360° Cowl	Long Cowl 360° Cowl
Option - 5		Lens - Amber, Holiday, Green, Holiday Red,	Quickly switch between three lumen level options with the 12V Integrated LED Accent with Variable Lumen Output (VLO) - without the need for mechanical adjustment.	Lens - Hex, Red, Amber, Green Foliage, Holiday	Lens - Hex, Red, Amber, Green Foliage, Holiday
Option - 6		Green Foliage & Frosted Beam Expander		Green & Frosted	Green & Frosted
Option - 7					
Option - 8			Backed by Kichler's industry-leading 15-year warranty.		
			Learn more at www.Kichler.com/VLOaccent		
			KICHLER © The L.D. Kichler Co. Kichler® All rights reserved.		

To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradek.com

Directional/Spot Lights

Manufacturer Model #	Cast CBL1CB	Introducing our Most Powerful Directional Light	Cast CCTL1C	WAC 5011	Dimmable LED!	Lite The Nite AU110TBZ
						
Materials	Bronze		Copper/Bronze	Aluminum or Brass		Aluminum
Dimensions	10.0" L x 2.5" D		10.25" L x 2.25" D	6.6256" x 5.8750"		5.5" L x 2.25" W x 2.5" H
Color of Fixture	Bronze		Copper/Bronze	BZ or BBR		BZB
Lamp	MR16 50W Max	CID140	MR16 50W Max	2W - 16W 9-15VAC 190LM - 1,045LM		35W Max/7W LED
Mounting System	8.5" Bronze Stake	✓ Advanced Higher Power LEDs	Tree Mount Included	PVC Stake		PVC Stake
Misc. Info	25' 16/2 Marine Grade Wire, Convex Lens	✓ Same Solid Bronze Construction	35' 16/2 Marine Grade Wire	10° - 60° Beam, 85CRI		
Mfr. Warranty	Lifetime	✓ Brighter Light Output with 40% system cost savings	Lifetime	10 Years / 70,000 Hours		5 Years
Option - 1	LED Light Source	✓ 49° Beam Angle, 504 Lm	LED Light Source	2700K		
Option - 2	With Two Light Levels		With Two Light Levels	3000K		
Option - 3	Replaceable Optics		Replaceable Optics	RGB / W		
Option - 4						
Option - 5						
Option - 6						
Option - 7						
Option - 8						

[LEARN MORE!](#)
Contact Us Today

CAST LANDSCAPE


973.423.2303
www.cast-lighting.com

To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradek.com

Perfect every time

Problem-solving products that make it
easy to specify and install with flawless results

WAC LANDSCAPE LIGHTING



ACCENT

Brightness Control Dial

Continuously Adjustable Beam Angles 10° to 60°



HARDSCAPE

Brightness Control Dial

Adjust from Warm White (2700K) to Pure White (3000K)



MINI WALL WASH

Brightness Control Dial

Adjust from Warm White (2700K) to Pure White (3000K)


waclandscapeighting.com



ACCENT 12V 5011

9-15VAC
2W to 16W / 2VA -23VA
190 lm to 1045 lumens
2700K / 3000K
10° to 60° Beam
85 CRI
70,000 hours

*Bronze on Aluminum or
Bronze on Brass*



WALL WASH 12V 5121-27/30BZ


9-15V AC/DC
2W to 16W / 2 - 23VA
190 lm to 980 lumens
Adjustable 2700K or 3000K
15° upward (50° by 80°)
85 CRI
70,000 hours

*Bronze on Aluminum or
Bronze on Brass*

3\"/>

9-15VAC
2W to 12W / 2-17VA
70 lm to 505 lumens
2700K / 3000K
15° to 60°
85 CRI
55,000 hours


*Bronze on Aluminum or
Bronze on Brass*



HARDSCAPE 7061-27/30BZ

9-15VAC
1.4W, 2.5VA
Up to 40 lumens
Adjustable 2700K or 3000K
90+ CRI
70,000 hours


Bronze on Aluminum



STEP LIGHT 4011

9-15VAC
2W 3.1VA
Up to 38 lumens
2700K / 3000K
90+ CRI
60,000 hours

*Bronze on Brass,
Bronze on Aluminum,
White on Aluminum or
Cast Stainless Steel*



LINEAR PATH LIGHT 6021

9-15VAC
2.9W 4.7VA
Up to 95 lumens
2700K / 3000K
90 CRI
60,000 hours

*Bronze on Aluminum,
Black on Aluminum*

23.5\"/>

ILUMENIGHT COLOR CHANGING

With **ilumenight™** you can take your landscape from warm white to pure white to cool white, red to violet and every color in between all with the touch of a finger.

Available for **ACCENT, WALL WASH and 3\"/>**

WAC

LANDSCAPE LIGHTING

To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradetek.com

Hardscape Lights

Manufacturer Model #	Kichler 15735	LED!	Kichler 15745	LED!	WAC W7061-27/3	LED!	CAST CEWL5CB
							
Materials	Aluminum/Brass/Copper		Aluminum/Brass/Copper		Aluminum		Bronze
Dimensions	7" x 2 3/8"		7" x 2 3/8"		3", 6", 12" or 18" L x 1 1/16" W x 5/8" T		1" x 6"
Color of Fixture	AZT, BBR, Copper, Gray, Sand White		AZT, BBR, Copper, Gray, Sand White		Bronze, Graphite, Sand		Bronze
Lamp	LED (3 LED) 3000K		LED (3 LED) 9-15V- 2700K, 3000K		9-15V (4.5VA) 125 Lumens 2700K or 3000K		Wedge Base T3 10W 18W Max
Mounting System	Screws		Mounting Plate		Mounting Plate		Copper Bracket
Misc. Info	7" .75W		7" .75W				25' of 18/2 Marine Grade wire
Mfr. Warranty	15 Years		15 Years		10 Years		Lifetime
Option - 1	3" 15734 (1 LED) .19W		3" 15744 (1 LED) .19W		3" = 7031 (2.5VA) 40 Lumens		LED Light Source Available
Option - 2	13" 15736 (6 LED) 1.4W		13" 15746 (6 LED) 1.4W		12" = 7121 (7.0VA) 225 Lumens		
Option - 3	19" 15755 (9 LED) 2.2W		19" 15758 (9 LED) 2.2W		18" = 7181 (8.6VA) 330 Lumens		
Option - 4					• Adjustable Brightness • Rotatable Aiming Control • Adjustable Kelvin Temp		
Option - 5							
Option - 6							
Option - 7							
Option - 8							

**Hardscape,
Deck & Patio**

Revolutionary LED Technology

- 2700k warm white and 3000k pure white color temperatures
- Easy Installation
- Available With Or Without Bracket
- Available in 4 Sizes: 3.0", 6.9", 12.9" and 18.9"
- Tested to an L-70 of 40,000 Hours
- 15 Year Warranty

(Visit www.kichler.com/landscape for full warranty and limitations)

KICHLER

kichler.com/landscape
© Copyright All rights reserved. Kichler

To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradek.com

Hardscape Lights

Manufacturer Model #	Hinkley NUVI 15446 	Encore SD 506 	Illumicare Cliff 	Brilliance Light Bar 	Hinkley 15440BZ 
					
Materials	Vinyl Alloy	Solid Brass	Solid Cast Brass	Anodized Aluminum	Aluminum
Dimensions	5" W x .8" H	6.25" W x .875" D x .75" T	6" L x .75" D x .55" W	9" x .531"	9.5" L x 1.375" W
Color of Fixture	Bronze	Antique Brass	Weathered Brass	Custom Colors	Bronze, White
Lamp	1.9W LED 80 CRI 140 Lumens 2700K	3W LED Strip	2W LED 206LM	5.2W 6 LEDs 270 LM	4.5W / 6.8VA LED 235L
Mounting System	Bracket	Bracket	Stainless Steel Bracket	Screws/Bracket	Plate
Misc. Info	Dimmable	Removeable Front Cover	36" of 18/2 Leadwire	Dimmable, 2700K, IP68	10V -15V
Mfr. Warranty	10 Years	Lifetime	5 Years	5 Years	5 Years
Option - 1		Front Cover Plate may be painted to match desired color	Copper Material	5.25" 3 LED 135LM 2.6W	15442BZ 15.5" L x 1.375" W
Option - 2			316 Marine Grade Stainless Steel Material IP 65 Rated	13" 9 LED 405LM 7.8W	L70 - 40,000 Hours
Option - 3					350° Rotation
Option - 4			Cliff Mini 3.5" L x .75" D x .55" W 105 LM 2700K/3000K 1.5W 12-15V AC/DC Ip 65		Fully Dimmable
Option - 5					
Option - 6					
Option - 7					
Option - 8					

To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradek.com

Flood Lights

Manufacturer Model #	Cast CWL6 LED1	WAC W5121 27/30BZ	Universal AF2900 WB	WAC 5021	Kichler 15385
					
Materials	Bronze	Brass or Aluminum	Brass	Brass / Aluminum	DieCast Aluminum/Brass
Dimensions	4.0" T x 6.5" W	3.5" W x 4.5" H x 3" D	5" H x 4.5" W	4.375" W x 3.75" D x 6.125" H	6" H x 6.75" W x 5.5" D
Color of Fixture	Bronze	BZ or BBR	Weathered Bronze	Bronze/BBR	Bronze
Lamp	2800K 3.5W 10V - 24V (AC/DC)	1 - 8W 9 - 15 VAC 80 - 420 Lumens	20W Xenon Bi-Pin 35W Max	9-15V 2-16W	50W Halogen Bi-Pin 75W Max
Mounting System	Stem or Surface	PVC Stake	PVC Stake	Stake	PVC Stake
Misc. Info	Frosted Lens	Adjustable Kelvin Temp		190LM - 980LM	Up or Down Lighting
Mfr. Warranty	Fixture Lifetime, LED 5 Years	10 Years	Lifetime Finish, 3 Year Socket	10 Years / 70,000 Hours	5 Years
Option - 1	Copper Stems		Lens - 3' Leads	85 CRI	Natural Brass
Option - 2	Telescopic Stems		25' Leads Available	2700K 3000K	Bronzed Brass
Option - 3	Mounting Stake		AF1900 Aluminum	RGB / W	
Option - 4	Surface Mount				
Option - 5					
Option - 6					
Option - 7					
Option - 8					


To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradek.com

Flood Lights

Manufacturer Model #	Brilliance Ozark 	Fx Luminaire LC 	Encore BL30 	H.K. Lighting Group ZXF50	Kichler 16022 
					
Materials	Machined Aluminum	Brass	Brass	Machined Aluminum	Cast Aluminum
Dimensions	1" H x 5.5" W x 2.5" L	6.5" H x 4.5" L	4" W x 2" H	6.35" W x 3.5" H	7" H x 6" W x 6" L
Color of Fixture	Black	AB, AT, NP	Ant. Brass	Black or Bronze	Bronze or Black
Lamp	Light Bar 2700K 1W - 60LM 2W - 120LM	ZD or ZDC 1, 3, 6, 9 LED	3W LED Panel	20/35/50W Halogen Bi-Pin	6.7W - 9W - 12W, 9-15V 500, 675 or 865 Lumens
Mounting System	ABS Steak	Stake	PVC Stake	PVC Stake	PVC Stake
Misc. Info	Made in USA	Powder Coat available	Clear, Frosted, Linear Lens	Includes Glare Shield	48" 18/2 wire
Mfr. Warranty	Lifetime	10 Years L70 = 50K Hrs	Lifetime 25' 16/2 Wire	5 Years Custom Colors Available	15 Year / 50,000 Hours Variable Light Output 6,000V surge protection
Option - 1					
Option - 2				LED Option	2700K or 3000K
Option - 3					
Option - 4					
Option - 5					
Option - 6					
Option - 7					
Option - 8					

To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradek.com

Inground Lights

Manufacturer Model #	WAC 5031  Dimmable LED!	Hunza Lawn Lite 	Kichler 15481 CBR 	CAST CCGL  LED!	Hunza Path Lite 
Materials	Brass /Aluminum/Composite	Aluminum	Brass/Composite	Solid Bronze	Copper
Dimensions	4.625" x 6.25"	6" W x 3.375" H	4.92" H x 4.52" D	4" T x 4" D	.75" H x 3.5" D
Color of Fixture	Bronze/Bronze Brass	10 Colors (see below)	Brass	Bronze	Copper or Stainless Steel
Lamp	9-15VAC / 70-505 LM 2W - 12W / 85 CRI	MR16 20W (35W Max)	MR16 20W Max	3VA - 153LM	20W MR-16 (ESX)
Mounting System	Direct Bury	Direct Bury	Direct Bury	Stainless Pins	Recessed 2.5" D x 5" L
Misc. Info	15° - 60° Beam, 20° Aiming	Adjustable	34" 18/2 Wire	10-24V AC/DC	Lifetime
Mfr. Warranty	10 Years / 55,000 Hours	5 YR (Alum) 10 YR (Copper)	10 Year	Lifetime	Lifetime
Option - 1	2700K	Solid Bronze	15782-Rockguard	4.18VA - 164LM	Stainless Steel
Option - 2	3000K RGB / W	Stainless Steel			Aluminum Canister
Option - 3	5030 PIP-PVC Concrete Pour Kit	Colors Available: Black, Dark Grey, Bronze, Green, Olive			Stainless Canister
Option - 4	Rock Guard	Green, White, Birch, Beige, Primrose, Metallic Silver			
Option - 5	Drive Over Rated				
Option - 6					
Option - 7					
Option - 8					

To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradek.com

Inground Lights

Manufacturer Model #	Fx Luminaire FC	Encore UL-54	 12V LED All-Purpose Recessed • 3 field changeable optics offered: 20°, 40° and 75° options putting light where you want it • Integrated, fully sealed and encapsulated fixtures keep all critical components protected against the elements • 9 to 15-volt operating range to assure consistent light output throughout a run • Removable spring clip and compression sleeve adapts to a wide variety of applications for seamless installation Visit Kichler.com/Landscape © 2018 Kichler Lighting LLC. All rights reserved. KICHLER	Kichler 16141	Kim KLV361
					
Materials	Brass/Composite	Stainless/Composite		Brass or Stainless Steel	Aluminum
Dimensions	9.7" H x 4" D	6" H x 4.5" W		2.25" H 2.25" W	6" D x 5.5" H
Color of Fixture	AB, AT, NP	Silver		CBR or Stainless Steel	Black, Bronze, Verde
Lamp	ZD or ZDC 1, 3, 6, 9 LED	RGB 6W, Color changing LED		3.5W, 9-15V, 200 Lumens 20, 40 & 75° optics included	3.6W LED 3500K or 5100K
Mounting System	In Ground	Inground/Underwater			Direct Bury
Misc. Info	Powder Coat Available				15° Aiming Angle
Mfr. Warranty	10 Years	3 Years		10 Year / 50,000 Hours 6,000V surge protection	5 Years
Option - 1		3W RGB LED			
Option - 2		DMX Controller		2700K 3000K	
Option - 3		RGB Remote		Retention spring clip and compression sleeve. 72" 18/2 wire Fits standard 1.5" PVC Schedule 40 or 80	
Option - 4		6W / RGB		16140 - 2W, 100 Lumens	
Option - 5		9W / RGB		2-Way top, 4-Way, Side-Fire, Square, Cow, Louvered, Soffit, Frosted Lens	
Option - 6					
Option - 7					
Option - 8					

To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradek.com

Underwater Lights

Manufacturer Model #	Hinkley HI1539BS	Kichler 15191	Kichler 15711 SS LED!	Brilliance Aquabeam LED!	Color Kinetics C-Splash 2 RGB LED!
					
Materials	Brass	Composite Resin	Stainless	Aluminum	Cast Brass
Dimensions	3.8" W x 4.5"H	5" H x 4" W x 6" D	2" H x 1.9" W	3" x 3" x 1.7"	8.3" D x 10.3" H x 6.9" W
Color of Fixture	Brass	Black	Silver	Black	Brass
Lamp	50W MR16 MAX	20/35/50W MR16 Upgrade 10K-HR	3.4W/4.9VA 2700K, 3000K	5 or 10W 350 or 700LM (8-18 VAC)	Color Changing LED - 16.7m Colors 500LM
Mounting System	Base included	Weighted Base	Swivel, Weighted, Surface	Screws	
Misc. Info	300" Lead wire	25' Lead	25' wire Fixture wet/dry rated	45° Beam 83CRI Dimmable	Fresh or Salt Water Rated
Mfr. Warranty	5 Years	5 Year	15 Years	5 Years / 50,000 Hours	5 Years
Option - 1		K15193 - MR11 Version	Weighted base sold separately 15778BK	2700K	24V System
Option - 2			Bracket sold separately 15777SS	3000K	10° Lens
Option - 3				5700K	22° Lens
Option - 4				IP68 Fully Submersible	Synch to audio
Option - 5					Submersible up to 15'
Option - 6					IP68 Rated
Option - 7					
Option - 8					

To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradek.com

Underwater Lights

Manufacturer Model #	Hunza Pond Lite	WAC 2031	Focus SL-33 or SL-33-AB	Brilliance Mini Beam	Dabmar LV308
					
Materials	Copper/Stainless	Stainless	Cast Brass	Brass	Brass or Stainless Steel
Dimensions	2.5" W x 3" H	2.75" W x 3.125" H	3.3" H x 3.5" W	1.5" x 1.25"	5.5" H x 4" D x 6.5" W
Color of Fixture	BK, WH, BZ, GN, MS	Silver	Natural Base	Brass	Brass or Stainless
Lamp	20/35/50W MR16 upgrade to 10K hr	9-15V 4.1W - 170LM	MR-16 50W (Max) upgrade to 10K hr	2700K 1.5W 90LM 9-15V IP68	4W LED
Mounting System	U Bracket	Swivel Bracket		Surface Mount	21' Lead Wire
Misc. Info		3000K, 85CRI, 25° Beam	Adjustable Bracket (SL-33AB)	6' Wire Lead	Adjustable Bracket
Mfr. Warranty	Lifetime	10 years / 70,000 Hours	Lifetime	3 years	Brass - 10 years, SS - 5 years
Option - 1	Copper Weighted Base	30' Leadwire			Underwater Junction Box
Option - 2	Stainless Steel Weighted Base				
Option - 3	Stainless Steel Fixture				
Option - 4					
Option - 5					
Option - 6					
Option - 7					
Option - 8					



To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradek.com

Area Lights

Manufacturer Model #	Kichler 15310	Featured Product 	Brilliance Sequoia	Cast CNO 13CB	Lightcraft ILLUMA 10 AP-340B-10
					
Materials	Aluminum		Machined Copper/Brass	Bronze	Brass
Dimensions	8.25" W x 21" H		22" H x 7" W Hat	12" T x 7" W	10" H x 1" D
Color of Fixture	Bronze, Black, Beach	K-15310	Brass, Blackened Brass, Copper	Bronze	NBZ or Stainless Steel
Lamp	16W #921 Wedge Base		Beacon G4 27K	25W Wedge Base S8	T3 Bi-Pin
Mounting System	PVC Stake	KICHLER	ABS Steak	Bronze 8.5" Stake	PVC Stake
Misc. Info			Made in USA		Frosted Lens
Mfr. Warranty	5 Years	• Durable • Solid Performer • 5-Year Warranty • AZT, BKT	Lifetime	Lifetime	10 Years
Option - 1	15810 8" LED BBR Option 2700K or 3000K		Adjustable Stem 16" - 26"	LED Light Source	
Option - 2	15470 6" Option AZT, BKT, CBR	★ Great Low Price			
Option - 3	15870 6" LED Option 2700K or 3000K				
Option - 4					
Option - 5					
Option - 6					
Option - 7					
Option - 8					

To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradetek.com

Area Lights

Manufacturer Model #	Kichler 15480 CBR	Unique Illuminator 4/6	Hadco MUL4 / MUL5	SPJ 10-03	Cast CNO1CB
					
Materials	Centennial Brass	Copper with Brass	Cast Aluminum	Brass	Bronze
Dimensions	8.53" W x 22.95" T	19.65" H x 6.25" W or 3.5" W	18" H x 4.5" W, 23" H x 9" W	17" H x 6" W	22" T x 8" W
Color of Fixture	Brass	Natural Copper	Black, Sienna, Bronze, Sp Stone	V, M, AG, BR, NC, GM, R, AU, RC, PC, MB	Bronze
Lamp	T3/G4 Bi-Pin 20W Max Optimized for LED	20W Xenon Bi-Pin (10,000 hr)	20W or 35W Halogen Bi-Pin	18W #1141	25W Wedge Base S8
Mounting System	Stake	PVC Stabilizer Stake	PVC Stake	Dual Fin Stake	8.5" Bronze Stake
Misc. Info	30" 18/2 Wire	25' Leads, Adj Height	Hinged Hood		25' 16/2
Mfr. Warranty	10 Years	15 Years	3 Years	3 Years	Lifetime
Option - 1			Verde upgrade	Natural or Raw Copper	LED Light Source
Option - 2			Cast Brass Upgrade		
Option - 3			LED ML4D3		
Option - 4					
Option - 5					
Option - 6					
Option - 7					
Option - 8					

To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradek.com

Area Lights

Manufacturer Model #	Kichler 15505C0	Cast CMU 13CB	SPJ 09-05	Kichler 15350	Kichler 15439
					
Materials	Copper	Bronze	Brass or Copper	Copper	Brass / Copper
Dimensions	20.25" H x 7.75" W	10" T x 5.5" W	19" H x 6" W	21.5" H x 6" W	21" H x 6" W
Color of Fixture	Copper	Bronze	V, M, AG, BR, NC, GM, R, AU, RC, PC, MB	Natural Copper	Olde Brick, Copper, TZT
Lamp	T3 Bi-Pin	25W Wedge Base S8	18W #1141	3156 - 24.4 W	24.4W #3156
Mounting System	PVC Stake	8.5" Bronze Stake	Dual Fin Stake	PVC Stake	PVC Stake
Misc. Info	36" Lead wire	25' 16/2			
Mfr. Warranty	5 Years	Lifetime	3 Years	5 Years	5 Years
Option - 1				15850 LED 2700K/3000K	15839 LED 2700K/3000K
Option - 2					Copper, TZT
Option - 3					16120 - AZT, BKT, BBR
Option - 4					LED - 2700K, 3000K
Option - 5					
Option - 6					
Option - 7					
Option - 8					

To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradek.com

Area Lights

Manufacturer Model #	Illumicare Adonis 	Hinkley 1403 OC 	Kichler 16122 AZT 	WAC 6051 Canopy 	Kichler 15820 AZT 
Materials	Copper	Copper	Aluminum	Brass or Aluminum	Copper, Aluminum, Brass
Dimensions	19" to 33" T x 8" W	16.75" H x 6" W	7.25" W x 21" T	22" H x 8.5" W	22.5" H x 6.25" W
Color of Fixture	Copper	Old Copper	AZT	BBR, BZ, BK	Copper, AZT, BBR
Lamp	G4 Bi-Pin 20W Max	921 (18W) T5 Wedge	2700K/3000K 3.8W LED 9-15V	6.5W / 9.5VA 9-15V 225 Lumens 90 CRI	4W - 5.8VA 187 LM
Mounting System	Brass Stake	PVC Stake	Stake	PVC Stake	PVC Stake
Misc. Info	Adjustable Stem	Fully Enclosed Lamp	30" 18/2 Wire	2700K/3000K	2700K/3000K
Mfr. Warranty	Lifetime	5 Years	15 Years	10 Years	15 Years
Option - 1		1402 OC 22" H x 9" W			15821 - AZT, BBR, CO
Option - 2					15" T x 6.25" W
Option - 3					9V-15V Operating Voltage
Option - 4					
Option - 5					
Option - 6					
Option - 7					
Option - 8					

To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradek.com

Area Lights

Manufacturer Model #	Unique Elements Neutron	Cast CMU2CB	 Centennial Brass 12V PRODUCT LINE • Durable solid cast brass construction • Available in Accent, Path, Deck, Wall-Wash and In-Ground fixtures • Optimized to work with Kichler LED retrofit lamps Learn more at www.Kichler.com KICHLER © The L.D. Kichler Co. Kichler® All rights reserved.	
				
Materials	Marine Grade A360 Alloy	Bronze		
Dimensions	7" W x 21" L or 15" L	25" T x 9" W		
Color of Fixture	Bk, Bz, TT	Bronze		
Lamp	G4 Bi-Pin	25W Wedge Base S8		
Mounting System	Gravity Stake	13.5" Bronze Stake		
Misc. Info	1' Flex Auxillary Wire	35' 16/2		
Mfr. Warranty	10 Years	Lifetime		
Option - 1	18" or 12" Stem	LED Light Source		
Option - 2				
Option - 3				
Option - 4				
Option - 5				
Option - 6				
Option - 7				
Option - 8				

Kichler
15478 CBR



Centennial Brass
6.77" W x 23" T
Brass Patina
T3/G4 20W Max
Optimized for LED
Stake
30" 18/2 Wire
10 Years

Unique
MERCURY 4 or MERCURY 7



Solid Brass
20" H x 4" W or 20" H x 7" W
Nat or Weathered Brass
20W Xenon Bi-Pin
(10,000 Hrs.)
PVC Stabilizer Stake
Includes 25' Lead 18/2 cable
Lifetime
Includes Polycarbonate
De-op lens

To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradek.com

Area Lights

Manufacturer Model #	Cast CCH 2CB 	Kichler 16123 	Hinkley 16007 MZ 	Kichler 15802TZT 	SPJ MA-20 
Materials	Bronze	Aluminum or Copper	Brass	Cast Aluminum	Brass or Copper
Dimensions	24" T x 9" W	7.25" W x 21" T	23.5" H x 6.75" W	26.4" T x 8" W	19.5" H x 5.75" W
Color of Fixture	Bronze	AZT, TZT, Copper	Matte Bronze	Textured Tanarey Bronze	Specify
Lamp	25W Wedge Base S8	3.8W, 2700K, 3000K LED 9-15V	G4 LED or 20W Bi-Pin Max	4W/5.8VA 3000K 9-15V AC/DC	3W LED 2700K
Mounting System	13.5" Bronze Stake	Stake	PVC Stake	PVC Stake	PVC Stake
Misc. Info	35' 16/2	30" 18/2 Wire	Frosted Lens	Hi - Low Setting	Voltage Range 8V - 24V
Mfr. Warranty	Lifetime	15 Years	15 Years	15 Years	20 Years
Option - 1	LED Light Source				
Option - 2					
Option - 3					
Option - 4					
Option - 5					
Option - 6					
Option - 7					
Option - 8					

To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradek.com

Area Lights

Manufacturer Model #	Hinkley 1540CB	Cast CCH13CB	WAC 6011	Unique Elements Proton	Focus AL-04
					
Materials	Solid Brass	Bronze	Brass / Aluminum	Marine Grade A360 Alloy	Cast Aluminum
Dimensions	22" T x 8" W	10" T x 7" W	22" T x 7.5" W	5" W x 21" L or 15" L	16.75" H x 7.5" W
Color of Fixture	Copper, Bronze	Bronze	Bronze, BBR, Black	BK, BZ, TT	Black
Lamp	921 (18W)	25W Wedge Base S8	9-15VAC 5.8W - 150LM	G4 Bi-Pin	18W #1141 Halogen upgrade
Mounting System	PVC Stake	8.5" Bronze Stake	Stake	Gravity Stake	PVC Stake
Misc. Info		25' 16/2	90 CRI	2 Stem Heights: 12" or 18"	18' Diameter Coverage
Mfr. Warranty	5 Years	Lifetime	10 Years / 60,000 Hours	10 Years	3 Years
Option - 1		LED Light Source	2700K		Color upgrade AV, BZ, W, HG, R, WB, WI, ST, RV
Option - 2			3000K		
Option - 3					
Option - 4					
Option - 5					
Option - 6					
Option - 7					
Option - 8					

To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradek.com

Area Lights

Manufacturer Model #	Kichler 16121 AZT LED! 	Kichler 16125 AZT LED! 	Kichler 16126 AZT LED! 	WAC 6041 Tiki LED! 	Kichler 16124 LED! 
Materials	Cast Aluminum	Aluminum, Brass, Copper	Aluminum	Brass, Aluminum	Aluminum
Dimensions	4.75" W x 20" T	8" W x 21" T	5.5" W x 23.25" T	22" T x 6.5" W	8" W x 21" T
Color of Fixture	AZT, BKT, TZT	AZT, BBR, CO	AZT	BBR, BZ, BK	AGZ, BKT, CW
Lamp	4.3W, 2700K, 3000K LED 9-15V	4.3W, 2700K, 3000K LED 9-15V	3.8W, 2700K, 3000K LED 9-15V	6.5W / 9.5VA. 90 CRI 225 Lumens 9-15V	3.8W, 2700K, 3000K LED 9-15V
Mounting System	Stake	Stake	Stake	Stake	Stake
Misc. Info	30" 18/2 Wire	30" 18/2 Wire	30" 18/2 Wire	2700K or 3000K	30" 18/2 Wire
Mfr. Warranty	15 Years	15 Years	15 Years	10 Years	15 Years
Option - 1					
Option - 2					
Option - 3					
Option - 4					
Option - 5					
Option - 6					
Option - 7					
Option - 8					

To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradek.com

Pathway Lights

Manufacturer Model #	Encore BL71	Lightcraft Pitched Path AP-310B	WAC 6031 Eclipse	Kichler 15844	WAC 6081 Ledge
					
Materials	Brass	Brass	Aluminum or Brass	Cast Aluminum or Brass	Aluminum
Dimensions	23" H x 7" W	26" H x 6.25" W	22" T x 6" W	22" H x 3" W x 6" L	23" H x 5.5" W
Color of Fixture	Antique Brass	NBZ or Stainless Steel	Bronze, BBR, Black	Bronze, Black, CBR	BK, BZ
Lamp	20W Single Cont. Bayonet Halogen	T3 Bi Pin	9-15VAC 2.9W - 125LM	T5 Wedge Base	3W / 4.5VA 105 Lumens 9-15V
Mounting System	PVC Stake	PVC Stake	Stake	PVC Stake	PVC Stake
Misc. Info	25' of 16/2 wire	1" Square Stem	90CRI	48" of usable 18/2 Wire	90 CRI
Mfr. Warranty	Lifetime	10 Years	10 Years / 60,000 Hours	5 Year Aluminum, 10 Year Brass	10 Years
Option - 1	BL-70		2700K 3000K	Side Mounted LED Lamp 18120, 18121	2700K 3000K
Option - 2				Omi LED Lamp 18204 or 18205	
Option - 3					
Option - 4					
Option - 5					
Option - 6					
Option - 7					
Option - 8					



To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradek.com

Pathway Lights

Manufacturer Model #	WAC 6021 Linear  	Hinkley 1508 	Kichler 15845 	Cast CSA1CB 	Lightcraft Flat Side Path AP-390B 
Materials	Aluminum	Brass / Glass	Cast Aluminum or Brass	Bronze	Brass
Dimensions	23.5" T x 4.125" W	26" H x 8.125" W	23" H x 2.25" W x 7" L	24" T x 6" W	22" H x 4.25" W x 6" D
Color of Fixture	Bronze, Black	Copper Bronze (CB)	Bronze, Black, CBR	Bronze	Natural Bronze or Stainless Steel
Lamp	9-15V 2.9W - 95LM	18W (921)	T5 Wedge Base	25W Wedge Base S8	T3 Bi-Pin
Mounting System	Stake	PVC Stake	PVC Stake	13.5" Bronze Stake	PVC Stake
Misc. Info	90 CRI	Light Amber Color Glass	48" of usable 18/2 Wire	35' 16/2	1" Square Stem
Mfr. Warranty	10 Years / 60,000 Hours	5 Years	5 Year Aluminum, 10 Year Brass	Lifetime	10 Years
Option - 1	2700K		Side Mounted LED Lamp 18120, 18121		
Option - 2	3000K		Omi LED Lamp 18204 or 18205		
Option - 3					
Option - 4					
Option - 5					
Option - 6					
Option - 7					
Option - 8					



To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradek.com

Pathway Lights

Manufacturer Model #	Hinkley 1518 BZ	Kichler 15847	Hinkley 1561AR	WAC Slide 6321	Corona 713B
					
Materials	Aluminum	Cast Aluminum	Aluminum	Aluminum	Brass
Dimensions	22" H x 6.5" W	22" H x 2.75" W x 7.5" L	21" H x 7.5" W	24" T x 5" W	22" H x 6" W
Color of Fixture	Titanium Silver/Bronze	Bronze, Black	Anchor Bronze, Titanium	BZ	Ant. Bronze or Old Copper
Lamp	#921 18W	T5 Wedge Base	1.5W LED	3W / 4.5VA 95 Lumens 9-15 V	27W SCB
Mounting System	Yes	PVC Stake	PVC Stake	PVC Stake	ABS Stake
Misc. Info	Etched Acrylic Lens	48" of usable 18/2 Wire	Etched Glass	90 CRI	Swivel Shade
Mfr. Warranty	5 Years	5 Year	5 Years	10 Years	Lifetime
Option - 1	Titanium Finish	Omi LED Lamp 18204 or 18205		3000K only	Smooth or Dimpled Hood
Option - 2	LED Option				
Option - 3					
Option - 4					
Option - 5					
Option - 6					
Option - 7					
Option - 8					

To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradek.com



TO PROMOTE AND ADVANCE THE OUTDOOR LIGHTING INDUSTRY

What is AOLP?

A non-profit educational organization bringing together contractors, manufacturers, designers, landscape architects and educators involved in the outdoor lighting industry.

These individuals bring the industry to life, shining light on new techniques, certification, and developing technologies.

Membership Benefits

- ◆ Membership Discounts
- ◆ Annual Conference and Expo
- ◆ Educational Opportunities
- ◆ Awards Program
- ◆ Certification Programs
- ◆ Industry Newsletter
- ◆ Networking Forums
- ◆ Website Exposure

Certified Low Voltage Lighting Technician Exam

The AOLP has developed the CLVLT exam to promote professionalism and education throughout the outdoor lighting industry. The CLVLT exam is specific to 12 volt outdoor lighting systems. The exam tests the knowledge and understanding of the standards for installation of these systems. Testing is comprised of a written exam and seven “hands on” exams.

AOLP Design Program

This program focuses on the artistic aspect of the lighting industry, and helps participants realize their own individual style and artistic sense, while incorporating many Dark-Sky practices to reduce light pollution in their community.

FREE AOLP Membership Program

Now through
December 31, 2019
ALL purchases*
at TerraDek will qualify
for a new or renewal
membership to the AOLP

**Call TerraDek
for details**

** Total purchases must equal or exceed
\$30,000 to earn an AOLP membership*

www.aolponline.org ♦ 717-238-2504 ♦ fax 717-238-9985 ♦ 2207 Forest Hills Drive, Harrisburg PA 17112

Deck Lights

Manufacturer Model #	Cast CDL1CB	Kichler 16110 AZT 	Kichler 15065 AZT	WAC 3021 	Hinkley 16805 MZ 
					
Materials	Bronze	Aluminum, Brass, Copper	Cast Aluminum	Brass / Aluminum	Cast Brass
Dimensions	3.75" W x 1.75" D	3.25" W x 2.5" T	3.75" W x 2.37" H	3.375" W x 3.188" T	3.5" W x 2" H
Color of Fixture	Bronze	GRY, SD, AZT, BBR, BKT, CO	Bronze, Black, BBR, White	Bronze, White, Black, BBR	Matte Bronze
Lamp	18W T5 Wedge	.86W, 2700K, 3000K LED 9-15V	6.5W #918 Wedge Base	9-15V 2.8W - 60LM	1.5W 2700K 120 Lumens 80 CRI
Mounting System	Surface	Surface	Hardware	Surface	Surface
Misc. Info	25' 18/2	72" 18/2 Wire		90 CRI	Dimmable
Mfr. Warranty	Lifetime	15 Years	5 Years	10 Years / 50,000 Hours	Lifetime
Option - 1	LED Light Source		Midnight Spruce	2700K	
Option - 2			Natural or Bronzed Brass	3000K	
Option - 3			15765 1.9W LED		
Option - 4					
Option - 5					
Option - 6					
Option - 7					
Option - 8					

To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradek.com

Deck Lights

Manufacturer Model #	Cast CDL2CB 	Kichler 16113 	Kichler 15763 	Kichler 16111 AZT  LED!	Encore SD-01-BR 
Materials	Bronze	Cast Brass	Cast Aluminum or Copper	Cast Aluminum	Brass
Dimensions	3.25" W x 3" T x 1.5" D	3"H x 3.375"W x 2"E	2.69" H x 4" W x 2.13" E	3.19" W x 2.3" T	3.875" W x 2.375" H
Color of Fixture	Bronze	TZT - Tannery Bronze	AZT, CO, TZT	AZT, BKT, TZT	Brass or Stock colors
Lamp	10W T3 Wedge	0.86W LED 9 - 15V	0.86W LED 9 - 15V	.86W, 2700K, 3000K LED	20W Max T3 Bi-Pin
Mounting System	Surface	Stainless Steel mounting bracket and hardware	Stainless Steel mounting bracket and hardware	Surface	Surface
Misc. Info	25' 18/2 Marine Grade	15 Year, 40,000 hrs	15 Year, 40,000 hrs	72" 18/2 Wire	25' 16/2 Wire
Mfr. Warranty	Lifetime	72" lead wire. Brass will patina	72" lead wire. Copper will patina	15 Years	Lifetime
Option - 1	LED Light Source	2700K	2700K		
Option - 2		3000K	3000K		
Option - 3					
Option - 4					
Option - 5					
Option - 6					
Option - 7		NEW!	NEW!		
Option - 8					

To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradek.com

Deck Lights

Manufacturer Model #	Kichler 16112 AZT 	Focus SL-07-SMX	WAC 3031 	Cast CNL1CB	Kichler 15501 CBR
					
Materials	Cast Aluminum	Aluminum or Brass	Brass / Aluminum	Copper / Bronze	Brass / CBR
Dimensions	3.75" W x 2.25" T	2.75" Dia x 1.5" Deep	3.375" W x 2.375" T	3.5" T x 2.25" W	2.5" W x 5.75" L x 2.25" H
Color of Fixture	AZT	Variety	Bronze, White, Black, BBR	Copper/Bronze	CBR
Lamp	.86W, 2700K, 3000K LED	5W Bi-Pin	9-15V 2.8W - 75LM	12W T5 Wedge	MR16 - 12V
Mounting System	Surface	Surface Mount	Surface	Surface	72" Hanging Chain
Misc. Info	72" 18/2 Wire	Small Size	90 CRI	Internal Reflector	Canopy Mount
Mfr. Warranty	15 Years	3 Years	10 Years / 50,000 Hours	Lifetime	15 Years
Option - 1		3W LED Model 2800K 50,000 Hours	2700K		
Option - 2			3000K		
Option - 3					
Option - 4					
Option - 5					
Option - 6					
Option - 7					
Option - 8					


To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradek.com

Deck Lights

Manufacturer Model #	Illumicare Asteria 	Encore WS-04 	Illumicare Silhouette 	WAC 3011 	Kichler 49473RZ LED 
Materials	Copper or Marine Stainless	Brass	Aluminum	Brass / Aluminum	Aluminum
Dimensions	3.66" L x 2.48" Dia	5.5" H x 2.375" W x 3.25" D	2.5" H x 1" W x 1.8" D	3" Diameter x 1.625" Deep	19" H x 6" L x 6" W
Color of Fixture	Copper or Stainless	Antique Brass	Black or White	Bronze, White, Black, BBR	Rubbed Bronze
Lamp	MR16 20W Max	2X MR16 20W Max	T5 Wedge 20W Max	9-15V 2.8W - 60LM	7W LED 250 Lumens
Mounting System	3.07" Dia. Surface Mount	Surface	Surface	Surface	Table Top / Dimmable
Misc. Info	Weight 3lbs.	12V	12V	90 CRI	80 CRI 3000K
Mfr. Warranty	Lifetime	Lifetime	7 Years	10 Years / 50,000 Hours	5 Year LED, 1 Yr Materials
Option - 1			Copper	2700K	Bluetooth Speaker Rechargeable Battery
Option - 2			Stainless Steel	3000K	5 Hour Battery Life In/Outdoor Damp Rated
Option - 3					
Option - 4					
Option - 5					
Option - 6					
Option - 7					
Option - 8					

To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradek.com

Step Lights

Manufacturer Model #	Kichler 15490 CBR 	Hinkley 1546	Kichler 15072 	WAC 4011 	Hinkley 1594BZ 
					
Materials	Brass	Aluminum / Brass	Aluminum4	Brass, Aluminum, Stainless Steel	Aluminum or Brass Face Plate
Dimensions	2" H x 3" L x 2v W	3.25" H x 4.75" W x 2.5" D	5" W x 3.5" H x 2.5" D	5" W x 3" T x 2" Deep	8.75" L x 3.25" H
Color of Fixture	CBR	Matte Bronze	White, Bronze, Black	Bronze, White, BBR, Blk, Stainless Steel	Bronze or Matte Bronze
Lamp	MR8 Bi Pin LED 12V	TS-912 12W	11.6W #918x (max) 9-15V	9-15VAC 2W - 38LM	1.5W LED
Mounting System	Recessed	Recessed	Recessed	Recessed	Recessed
Misc. Info	Clear Lens	Frosted Lens		90 CRI	Clear Lens
Mfr. Warranty	10 Years	5yrs-Aluminum, 15yrs-Brass	5 Years	10 Years / 60,000 Hours	5 Years
Option - 1		LED Upgrade	Brass or Copper upgrade	2700K	Brass - Matte Bronze (MZ)
Option - 2			15782 LED 1.9W	3000K	
Option - 3				Amber	
Option - 4					
Option - 5					
Option - 6					
Option - 7					
Option - 8					

To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradek.com

Step Lights

Manufacturer Model #	Kichler 15073	WAC 2061	LED!	Focus SL-08-LEDP	LED!	Lightcraft Step Light 4 SD-V-4	LED!	WAC 2041	LED!
									
Materials	Die Cast Aluminum	Stainless Steel		Aluminum or Brass		Cast Brass		Stainless Steel	
Dimensions	9.5" W x 4" H x 3.25" D	2.75" W x 3.25" T		3.25" H x 8.25" W x .875" D		4.125" W x 1.5" H x 1" D		2.75" Diameter x 3.25" Deep	
Color of Fixture	Architectural Bronze	Stainless Steel or Bronze		Variety		Natural Bronze		Stainless, Bronze	
Lamp	(2) 10W Halogen Bi-Pin	9-15V 4.1W - 50LM		Flat Panel LED		1W LED 80 Lumens 11-13V 2700K or 3500K		9-15V 4.1W - 50LM	
Mounting System	Recessed	Recessed		Surface Mount		Surface Mount		Recessed	
Misc. Info	Masonry or Concrete Use Only	85 CRI		50,000 Hrs Rated		Dimmable		85 CRI	
Mfr. Warranty	5 Years	10 Years / 70,000 Hours		3 Years		10 Years		10 Years / 70,000 Hours	
Option - 1	15773 LED 3.2W	3000K Only						3000K Only	
Option - 2						Step Light 7 2W LED 160 Lumens			
Option - 3						11-13V 6.812" W x 1.5" H x 1" D			
Option - 4						Natural Bronze 2700K or 3500K			
Option - 5						10 Year Mfr. Warranty			
Option - 6									
Option - 7									
Option - 8									

To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradek.com

Bollard Lights

Manufacturer Model #	WAC 6611 Scoop LED! 	Hinkley 15602 TT 	Dauer Silhouette LED! 	WAC 6621 Tower LED! 	Kichler 15848 
Materials	Aluminum	Aluminum	Aircraft-grade Aluminum	Aluminum	Cast Aluminum
Dimensions	30" T x 5" W	30" T x 3" W	25" Tall or 42" Tall	30" T x 5" W	27" H x 4" W x 5.5" L
Color of Fixture	BZ, BK	BZ, TT	Endless selection	BZ, BK	Bronze, Black
Lamp	5.7W / 6.0VA 135 Lumens 9-15V	50W MR16 Max 12V	2W of warm-hued energy-saving 12V LED	5.5W / 6.0VA 185 Lumens 9-15V	T5 Wedge Base
Mounting System	M6000 Stake	PVC Stake	Anchor	M6000 Stake	PVC Stake
Misc. Info	90 CRI / Dimmable			90 CRI / Dimmable	48" of usable 18/2 Wire
Mfr. Warranty	10 Years	5 Years	Lifetime	10 Years	5 Year
Option - 1	2700K 3000K		Custom Designs available	2700K 3000K	Omi LED Lamp 18204 or 18205
Option - 2					
Option - 3					
Option - 4					
Option - 5					
Option - 6					
Option - 7					
Option - 8					NEW!

To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradek.com

Manufacturer Model #	TerraDock ML680 (Accent)	TerraDock ML680C (Cleat)
		
Materials	Polypropylene	Polypropylene
Dimensions	7.75" W x 2.25" H x 1.75" D	7.75" W x 3.1875" H x 1.75" D
Color of Fixture	White	White
Lamp	5W 20,000 hr Xenon Festoon	5W 20,000 hr Xenon Festoon
Mounting System	S.S. Hardware	S.S. Hardware
Misc. Info		
Mfr. Warranty	3 Years	3 Years
Option - 1	LED Light Source Available	LED Light Source Available
Option - 2		
Option - 3		
Option - 4		
Option - 5		
Option - 6		
Option - 7		
Option - 8		


ML 680 Series



AMERICA'S MOST POPULAR LOW VOLTAGE DOCK LIGHT

Stainless Steel Through
or Lag Bolts

Great for smaller
boats located in
calm areas



To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradek.com

Cable

Paige
18/2



250' Roll
500' Roll

Paige
16/2



100' Roll
250' Roll
500' Roll

Paige
14/2



100' Roll
250' Roll
500' Roll

Paige
12/2



100' Roll
250' Roll
500' Roll

Paige
10/2



100' Roll
250' Roll
500' Roll

Paige
8/2



100' Roll
250' Roll



PAIGE CABLE

Guaranteed to be in Inventory

- UL LISTED
- INDUSTRY'S TOP QUALITY
LOW VOLTAGE CABLE



Paige Cable Takes Your Business Personally

To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradek.com

Transformers - 40W to 150W

Manufacturer Model #	Universal STL 040SS	Hatch RS1260M LED 	Kichler 15CS75SS	Kichler 15PR100SS	Lite the Night LTN1150 DC Power Supply
					
Materials	304 Stainless Steel	Steel	Stainless Steel	Stainless Steel	Aluminum Body
Dimensions	4" W x 7" H x 3.25" D	2.2" L x 1.23" W x .75" D	4.6" H x 8.25" L x 3.7" W	19" x 5.5" x 5.75"	14.5" x 7.5" x 6.75"
Color of Fixture	Silver	Silver	Silver	Silver	Silver
Wattage	40 Watt	60 Watt	75Watt	100 Watt	150Watt DC
Misc. Info	25' Plug In Photocell	Hardwire	6' Plug Cord	6' Plug Cord	5' Power Cord
Voltage	12-13V	12V	12V & 15V	12, 13, 14, 15V Taps	13V DC
Mfr. Warranty	Lifetime, 1 Yr-Timer Module	3 Years prorated	10 Years	Lifetime	10 Years
Option - 1		RS12 15M LED 15 Watts	Plug in Photocell	Plug in Photocell	Integrated Clock
Option - 2		RS12 30M LED 30 Watts	Integral Clock		and Plug in Photocell included
Option - 3		RS12 75M LED 75 Watts	Secondary Breaker	Plug in Timer	30 Day Power Backup
Option - 4				15PR200SS - 200W	1 Zone
Option - 5				15PR75SS - 75W	
Option - 6				LED Only 15V TAP	
Option - 7					
Option - 8					

To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradetek.com

Transformers - 150W to 300W

Manufacturer Model #	Sebco 150W Magnetic  	Kichler 15CS150SS 	Lite the Night LTN1300 DC Power Supply 	Kichler 15PR300SS 	Featured Product  K15PR300SS KICHLER Lifetime Warranty Great Product At An Exceptional Price
Materials	Stainless Steel	Stainless Steel	Aluminum Body	Stainless Steel	
Dimensions	15.25" H x 4.75" D x 5.5" W	13" H x 5.5" D x 5.5" W	14.5" x 7.5" x 6.75"	19" H x 5.5" D x 5.75" W	
Color	Stainless Steel	Stainless Steel	Silver	Stainless Steel	
Wattage	150 Watt Single Circuit Secondary Side Breakers	Plug in Clock, Photocell Secondary Side Breaker	300Watt DC (2x150W) 2 Zones - Separate Controls	300 Watt Single Circuit Secondary Side Breakers	
Misc. Info	6' Plug Cord	6' Plug Cord	Dimmable	6' Plug Cord	
Voltage	12V, 13V, 14V, 15V	12V, 13V, 14V, 15V	5' Power Cord 13V DC	12V, 13V, 14V, 15V	
Mfr. Warranty	10 Years	10 Years	10 Years	Lifetime	
Option - 1			Integrated Clock and Plug in Photocell included	Submersible Fixture Rated	
Option - 2			30 Day Power Backup	Photo Cell (15565)	
Option - 3				Timer (15557 BK)	
Option - 4				10' Remote Photoeye	
Option - 5				Digital Timer (15556 WH)	
Option - 6				15PR 200 SS	
Option - 7					
Option - 8					



To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradetek.com

Transformers - 300W to 600W

Manufacturer Model #	Universal MTP0300SS	Universal UTR300W	FX Luminaire LZDC Controller	Unique 500 SS/SL	Universal UTR600W
					
Materials	Stainless Steel	304 Stainless	Stainless Steel	Stainless Steel	304 Stainless
Dimensions	21" H X 10" W X 10" D	13" H x 7" W x 6.5" D	13" H x 8" W x 5" D	12" H x 6.66" W x 6.13" D	13" H x 7" W x 6.5" D
Color	Stainless Steel	Silver	Stainless, Matte Gray	Stainless Steel	Silver
Wattage	300 Watt Single Circuit	300 Watt	300W	500 Watt with Lugs	600 Watt
Misc. Info	6' Power Cord,	Hardwire Rated UL 1838	Zoning, Dimming, Color		UL 1838
Voltage	12v - 18V, 22V	11-14V	14V Tap	12V, 13V, 14V, 15V, 16V, 17V	11-14V
Mfr. Warranty	Lifetime	Lifetime	10 Years	Lifetime	Lifetime
Option - 1	PhotoCell	Prepunched Knockouts	150 W Model	Photocell	Hardwire Rated
Option - 2	Remote PhotoCell	PVC Conduit Supplied Surge Supressor	250 Lighting Groups	Analog Timer or Digital Timer Sequencer	PVC Conduit Supplied Surge Supressor
Option - 3	Timer	6' Cord	Dimmable		6' Cord
Option - 4		Secondary Side Breakers	WI-FI Module	Secondary Fuse	Secondary Side Breakers
Option - 5		Plug & Play Clock/PC	Lam Accessory	360W	Plug & Play Clock/PC
Option - 6		Oversized Terminals	Face Pak Mount		Oversized Terminals
Option - 7			Astro Clock		
Option - 8					

NEW!

To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradetek.com

Transformers - 600W

Manufacturer Model #	Kichler 15PR600SS	Hadco TBC603-15	Kichler 15IGT600	Unique 600SS/SL	Cast CJ600SSMT
					
Materials	Stainless Steel	Fiberglass Composite	Black Composite	Stainless Steel	Stainless Steel
Dimensions	17" H X 6.75" W X 5.75" D	10.5625" D x 13.875" T	9.625" T x 13.25" Dia	12" H x 6.66" W x 6.13" D	6.5" W X 17" H X 5.5" D
Color	Silver	Bronze	Black	Silver	Silver
Wattage	600Watt Dual Circuit Secondary Side Breakers	600Watt	600W, 300W, 100W	600Watt	600Watt
Misc. Info	Submersible Fixture Rated	Direct Burial Rated	In-Ground/Direct Burial		
Voltage	12V, 13V, 14V, 15V	12, 13, 14, 15V	12, 13, 14, 15V Taps	12, 13, 14, 15, 17V	12, 13, 14, 15V
Mfr. Warranty	Lifetime	10 Years	10 Years	Lifetime	Lifetime
	6' Power Cord		Multiple (4) Ports		
Option - 1	Photoeye (15565)	TBC 303-15 300W Direct Bury	Concrete Pour Kit K15608AZ	Photo Cell	Powder Coated Steel
Option - 2	Remote Photoeye (10')			Analog or Digital Timer	
Option - 3	Timer (15557 BK)			Sequencer	
Option - 4	Digital Timer (15556 WH)			Secondary Fuse	
Option - 5					
Option - 6					
Option - 7					
Option - 8					

To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradek.com

Transformers - 600W to 900W

Manufacturer Model #	Universal MTP0600SS	Unique 840 SS/SL	Cast CJ900SSMT	Universal MTP0900SS	Kichler 15PR900SS
					
Materials	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Dimensions	21" H X 10" W X 10" D	12" H x 6.66" W x 6.13" D	6.5" W x 17" H x 5.5" D	22" H X 12" W X 11" D	21" H x 6.75" W x 6" D
Color	Stainless Steel	Silver	Stainless Steel	Stainless Steel	Stainless
Wattage	600 Watt Dual Circuit	840 Watt with lugs	900 Watt	900 Watt Triple Circuit	900 Watt Triple Circuit Secondary Side Breakers
Misc. Info	6' Power Cord			6' Power Cord	6' cord
Voltage	12V-18V, 22V	Multi Taps 12, 13, 14, 15, 16, 18, 20 volts	12,13,14,15v	12-18V, 20V, 22V	12,13,14,15v
Mfr. Warranty	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime
Option - 1	PhotoCell	Photocell	CM900SSMT 12V - 18V	Timer	Submersible Fixture Rated Timer (15557 BK)
Option - 2	Remote PhotoCell	Analog Timer or Digital Timer	9" W x 19" T x 7" D	Photocell	Photoeye (15565 BK)
Option - 3	Timer	Secondary Fuse	Powder Coated Steel	Remote Photocell	Remote Photoeye 10' (15534-BK)
Option - 4		Pool & Spa Model			Digital Timer (15556 WH)
Option - 5		Direct Bury			
Option - 6		Sequencer			
Option - 7					
Option - 8					

To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradek.com

Transformers - 1120W to 1200W

Manufacturer Model #	Unique 1120 SS/SL	Kichler 15PR1200SS	Cast CM 1200 SSMT
			
Materials	Stainless Steel	Stainless Steel	Stainless Steel
Dimensions	13" H x 8.16" W x 6.13" D	17.25" H x 8.25" W x 7" D	9" W X 19" T X 7" D
Color	Silver	Stainless Steel	Stainless Steel
Wattage	1120 Watt	1200 Watt Quad Circuit Secondary Side Breakers	1200Watt
Misc. Info	X-10 Compatible 12, 13, 14, 15,	Submersible Fixture Rated	Soft Start Technology
Voltage	12, 13, 14, 15, 16, 18, 20, 22 volts	12, 13, 14, 15 volts	12, 13, 14, 15, 16, 17, 18 volts
Mfr. Warranty	Lifetime	Lifetime	Lifetime
Option - 1	Photocell	6' Plug Cord Photoeye (15565 BK)	Photocell
Option - 2	Analog Timer or Digital Timer	Remote Photoeye (10') (15534-BK)	Timer
Option - 3	Secondary Fuse	Analog Timer (15557 BK)	
Option - 4	Sequencer	Digital Timer (15556 WH)	
Option - 5	Direct Bury		
Option - 6			
Option - 7			
Option - 8			

TerraDek®
The Outdoor Lighting Superstore



TerraDek

AOLP
Association of Outdoor Lighting Professionals

Distributor of the Year

**Free
Shipping***

www.terradek.com

To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradek.com

Connectors


Manufacturer Model #	King Innovation DRYCONN Waterproof Connectors		King Innovation Ace Connector		Lighting Shrink Crimp Connectors	
Materials Dimensions Color Wattage	Blk/White Blk/Grey Blk/Blue Silicone Dilled Wire Nuts Waterproof, corrosion proof and direct bury	TreeLight Mount™ Great for creating a downlight effect in trees • Mount most landscape lighting fixture brands to trees for a downlight effect • 100% stainless steel with bronze powder coat finish • Eco-friendly design will not damage trees • No yearly maintainar • Socket Length: 1.75" • Total Part Length: 7.		Silicone/Plastic Black 30V/30 amp Max	Small 2x16g & 2x12g Medium 2x16g & 2x10g & 2x12g Large 2x8g & 7x16g	
Misc. Info Voltage Mfr. Warranty	Blk/White #22-#12 Blk/Gray #22-#8 Blk/Blue #14-#6	DRYCONN® WATERPROOF CONNECTORS KSC LANDSCAPE LIGHTING CONNECTOR SYSTEM  Together the KSC Waterproof Wire Connectors, King Krimper tool and Mini-Torch make for a complete landscape lighting wire connection system.	Brass Connector - UL Listed Black Shrink Tube Small, Medium, Large Weather Resistant Max. Voltage 30V	Use with solid or stranded copper wire Lays flat on deck and trees for inconspicuous connection Set screw thread pitch allows for securing of wires For low voltage landscape lighting and direct bury	Crimper Ratcheting Mechanism Insures Consistent Connections	
Option - 1 Option - 2 Option - 3 Option - 4 Option - 5 Option - 6 Option - 7 Option - 8	UL 486D Listed Rated up to 600V Use in irrigation systems and landscape lighting applications Temperature Rating: 105°C (221°F) Wire Type: Copper/Copper One-step installation	DRYCONN® WATERPROOF CONNECTORS BLA  The DryConn Black Series connectors are UL Listed as a Sealed Wire Connector. For use in dry, damp, wet locations below or above grade when used in an enclosure.  www.kinginnovation.com KING INNOVATION®				

To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradek.com

Landscape LED lamps developed the Kichler way

FEATURES & BENEFITS

- UL Listed
- FCC compliant
- High lumens per watt and total lumen output
- Custom optics for superior light control and uniformity
- Designed for outdoor use
- Listed and rated for use in enclosed fixtures
- 9-15V AC/DC operating range with no loss in light output. Available in 2700K or 3000K
- 6 year warranty
- Breakable master packs
- 3 Step LED binning for tight color control



KICHLER

LED Lamps

Kichler MR16 4W & 5W	Kichler MR16 7W	Kichler SCB 18208	Kichler T3 Bi-Pin 18206	Kichler S8 Wedge 18202	Kichler T5 Wedge 18204
					
4W - 5.3VA	7W - 8.8VA	2.3W - 3.3VA	2.3W - 3.3VA	2.3W - 3.3VA	2.3W - 3.3VA
240 - 280 LM	600 LM	215 LM / 2700K	215 LM / 2700K	215 LM / 2700K	215 LM / 2700K
9 - 15 VAC	9-15V	9-15V	9-15V	9-15V	9-15V
6 Year Warranty	6 Year Warranty	6 Year Warranty	6 Year Warranty	6 Year Warranty	6 Year Warranty
15°, 25°, 40°, 60°	15°, 25°, 40°, 60°	Omni Directional	Omni Directional	Omni Directional	Omni Directional
2700K, 3000K	2700K, 3000K	2700K, 3000K	2700K, 3000K	2700K, 3000K	2700K, 3000K
80 CRI	80 CRI	80 CRI	80 CRI	80 CRI	80 CRI
30,000 Hours (L70)	30,000 Hours (L70)	30,000 Hours (L70)	30,000 Hours (L70)	30,000 Hours (L70)	30,000 Hours (L70)
FCC Compliant	FCC Compliant	Wet Rated	Wet Rated	Wet Rated	Wet Rated
		FCC Compliant	FCC Compliant	FCC Compliant	FCC Compliant
		18209 - 215 LM 3000K	18207 - 215 LM 3K	18203 - 215 LM 3K	18205 - 215 LM 3K
		2.3W - 3.3VA	2.3W - 3.3VA	2.3W - 3.3VA	2.3W - 3.3VA
5W - 6.6VA			MICRO		MICRO
350 - 410 LM			18200 - 80 LM 27K		18198 - 80 LM 27K
9 - 15 VAC			1.2W		1.2W
6 Year Warranty			18201 - 80 LM 3K		18199 - 80 LM 3K
15°, 25°, 40°, 60°			1.2W		1.2W
2700K, 3000K					
80 CRI					
30,000 Hours (L70)					
FCC Compliant					

To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradetek.com

LED Lamps

Brilliance Beacon SCB	Brilliance Beacon S8	Brilliance Beacon G4	Brilliance MR16 5th Generation	Brilliance Micro Bipin G4	Brilliance Micro T5
					
2W	2W	2W	4W, 5W, 7W	1.2W	2W
200LM	200LM	200LM	Colors - R,G,B, AMB(4W)	100 LM	100LM
8-25V	8-25V	8-25V	8 - 25 VAC	10 - 14 VAC	10 - 14 VAC
5 Year Warranty	5 Year Warranty	5 Year Warranty	5 Year Warranty	3 Year Warranty	3 Year Warranty
360°	360°	360°		360°	360°
2700K, 3000K, 5700K	2700K, 3000K, 5700K	2700K, 3000K, 5700K	15°, 30°, 60° 2200K, 2700K, 3000K, 5700K	2700K	2700K
84 CRI	84 CRI	84 CRI	85 CRI	85 CRI	85 CRI
35,000 Hours	35,000 Hours	35,000 Hours	50,000 Hours (L70)	35,000 Hours (L70)	35,000 Hours (L70)
IP 65	IP 65	IP 65		IP 65	IP 65
Dimmable	Dimmable	Dimmable	Dimmable	Dimmable	Dimmable


To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradetek.com

LED Lamps

Illumicare MR11	Lightcraft LED A-19	Brilliance Candlabra Edge Filament	Brilliance Edge Filament S14	FX Luminaire ZD MR16	Brilliance Chameleon
					
4W	6W	3.5W	3.5W	4W or 5W	6W
200-250 Lumens	400 LM	275 LM	245 LM	250 - 370 LM	328 - 441 LM
9 V - 15 V AC/DC	10V - 15V AC/DC	12V	12V	10V - 15V	11V - 18V
4 Year Warranty	3 Year Warranty	3 Year Warranty	3 Year Warranty	5 Year Warranty	5 Year Warranty
15°, 30°, 45°					
3000K	360°	2700K, 3000K	2200K, 2700K, 3000K	10°, 25°, 35°, 60°	38°
	3000K, Warm White	Dimmable	Dimmable	2700K, 3900K	RGBW (22K - 57K)
80-85 CRI	84 CRI	95 CRI	95 CRI	79 - 84 CRI	80 CRI
L70 - 40,000 Hours		Flame Tip	Clear Glass	40,000 Hrs (L70)	50,000 Hrs
3 Optics And Tool Included					IP 61
	Compare to 40W			Dimmable, Zoning	
	CE,FCC & RoHS Certifications			VL, CVL, FCC, RoHS	PAR 36 Version
					9W
					442 - 686 LM
					8 - 25V
					IP67
					5 Years, 50,000 Hrs
					RGBW (22K - 57K)
					NEW!

To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradetek.com


Accessories

Landscape Lighting Guide – A Contractor's Resource by Paul Gosselin	Unique Light Logic	Abrisa MR11 / MR-16 Lenses	Brilliance 12V Dimmer	King Insta-Light Battery Pack	Intermatic Astro Clock DT620
					
Comprehensive guide to all things outdoor lighting.	1000' Line of Site Range	1.9658" or 1.37" D	12VAC	8AA Battery Capacity (Not Included) LED Demo	Auto Daylight Savings Adjustment
	All on / All off	#201 Red	Standard Outlet Box	Temp. Lighting	28 Programable Events
	RF 900hz DSS	#203 Yellow	Black Knob/Silver Faceplate		2 Grounded Receptacles
Paul Gosselin is a nationally recognized speaker and past president of the Association of Outdoor Lighting Professionals.	Astronomical Clock	#205 Pink			Dusk to Dawn Setting
	Zip Code Programming	#206 Deep Green	Ambient Temp Range		
	120v Compatible	#207 Medium Amber	-40F to 115F		
	Wireless Install	#208 Medium Blue	90 day Warranty		
Great resource for the beginner or the expert wanting to expand their knowledge and skills.		#209 Dark Blue	10 AMP (#27300)		
		#211 Blue Correction	20 AMP (#27700)		
		#401 Lavender			
		#402 Mercury Vapor Green,			
		White Opal ,			
		Linear Spread,			
		Solite Softening,			
		Crystal Prismatic ,			
		Industrex Diffusion,			
		Hex Louver			
		Lens Clip Available			



To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradetek.com

Lamps

Manufacturer Model #	#3155 / #3156	Halco MR-11	A19	Halco Prism® MR-16	Ushio MR-16 Xenon
					
Bulb	S8/Wedge Base	Halogen Bi Pin or Bayonet	12v Medium Base	Halogen - See Below	Xenon
Wattage	18W / 24W	20W / 35W	25W or 50W	Est. Life - 5,000 hours	See Below
Mfr. Warranty	5,000 hours	2,000 hours		10W/12° 10W/24° 10W/38°	10,000 hours
Misc. Info		FTB 20W Narrow Spot		ESX 20W/12°	
		FTC 20W Medium Flood		BBF 20W/24°	BBF 20W/24°
		FTD 20W Flood		BAB 20W/36°	BAB 20W/36°
		FTE 35W Narrow Spot		BAB/60 20W/60°	
		FTF 35W Medium Flood		FRB 35W/10°	FMV 35W/24°
		FTH 35W Flood		FRA/FMV 35W/20-24°	FMW 35W/36°
				FMW 35W/37°	
				FMW/60 35W/60°	
				EYR 42W/12°	EXT 50W/12°
				EYS 42W/24°	EXZ 50W/24°
				EYP 42W/38°	EXN 50W/36°
				EXT 50W/12°	FNV 50W/60°
				EXZ 50W/24°	
				EXN 50W/38°	
				FNV 50W/60°	
				FPA 65W/12°	
				FPC 65W/24°	
				EYF 75W/12°	
				EYJ 75W/24°	
				EYC 75W/38°	

To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradetek.com

Lamps

Manufacturer Model #	918 / 906 / 912 / 921 	JC 10/20 Bi-Pin Ultra G4 JC 35/50 Bi Pin Ultra G6.35 	JC 10/20 Xenon JC 35/50 Halogen 	#93 / #1141 / #1156 	Halco Prism PAR 36 
Bulb Wattage	Incandescent/Wedge Base 6.5W / 7W / 11W / 18W	Xenon 10W / 20W / 35W / 50W	Xenon/Halogen Bayonet Base 10W / 20W Single Contact 35W/50W Double Contact	Single Contact Bayonet Base 13W / 18W / 25W	20W / 35W HaloXen
Mfr. Warranty	2,000 hours	Est. 10,000 hours	2,000 hours Halogen 10,000 hours Xenon	700, 1,000, 1,200 hours	5,000 hours
Misc. Info					
Option		Halogen			
	5W Xenon mini wedge base	5W/10W/20W (G4)		* Double contact bulbs also available	Ask about: Blue, Green, Red, Yellow 30W/50W
		20W/35W/50W/75W (G6.35)			50W Halogen 4,000 hour also available
		Est. 2,000 hours			25W Incandescent 1,000 hr also available

To Order Call 763-577-2425 or Toll Free 800-609-1130 • To Fax Orders: 763-577-4273 • www.terradetek.com

BRING SOME PURE NEW ZEALAND LIGHT INTO YOUR LANDSCAPE

The stunning LuxR Wayfinder uses advanced optics and LED technology to provide low glare lighting with elegance and economy. Hunza and LuxR landscape lighting fixtures are precision engineered and hand-assembled in New Zealand to last a lifetime. Available now from Hunza Lighting USA. For more information please contact us at sales@hunzalighting.com.

www.luxrled.com
www.hunzalighting.com

HUNZA™ PURE
OUTDOOR
LIGHTING

LuxR
LED BY DESIGN





TerraDek®
The Outdoor Lighting Superstore

Member
AOLP
Association of Outdoor Lighting Professionals

www.terradek.com

Front Cover:
Photo and Lighting Design: Steve Schafer

Back Cover:
Lighting Design: Keith Rosser
Landscape Lighting Pro of Utah